

# Solution of Goal Programming Problem by New Approach

Kalpna G. Lokhande; Putta Baburao and N. W. Khobragade

Department of Mathematics, RTM Nagpur University, Nagpur -440033

*Abstract-In this paper, new alternative methods for the solution of Goal programming problem is introduced. This method is easy to solve goal programming problem. This is powerful method to get improved solution. It reduces number of iterations and save valuable time by skipping calculations of net evaluation.*

**Key Words:** Goal Programming Problem, Optimal Solution, Simplex Method, Alternative Method.

## I. INTRODUCTION

Linear Programming basically is the technique applicable only when there is a single goal (objective function), such as maximizing the profit or minimizing the cost or loss. There are situations where the system may have multiple (possibly conflicting) goals. For example, a firm may have a set of goals, such as employment stability, high product quality, maximization of profit, minimizing overtime or cost, etc. in such situations, we need a different technique that seek a compromise solution based on the relative importance of each objective. This technique is known as Goal Programming. It aims at minimizing the deviations from the targets that were set by the management. In this technique. We start with the most important goal and continues until the achievement of a less important goal. Whether the goals are attainable or not, the objective function is stated in such a manner that optimization means : “as close as possible to the indicated goals”.

Khobragade et al. [2, 3, 4] suggested an alternative approach to solve linear programming problem.

In this paper, an attempt has been made to solve goal programming problem (GPP) by new method which is an alternative method. This method is different from Khobragade et al. [2-4] Method.

## II. ALTERNATIVE SIMPLEX METHOD FOR GOAL PROGRAMMING PROBLEM

**Solution:**

$c_B$	$y_B$	$x_B$	$x_1$	$x_2$	$d_1^-$	$d_1^+$	$d_2^-$	$d_3^-$
1	$d_1^-$	900	<b>80</b>	40	1	-1	0	0
1	$d_2^-$	17	1	0	0	0	1	0
1	$d_3^-$	15	0	1	0	0	0	1
First Iteration								
0	$x_1$	90/8	1	1/2	1/80	-1/80	0	0
1	$d_2^-$	23/4	0	-1/2	-1/80	-1/80	1	0

The major steps of the simplex method for the linear goal programming problem are :

- Step 1.** Identify the decision variables of the key decision and formulate the given problem as linear goal programming problem.
- Step 2.** Determine the initial basic feasible solution and set up initial simplex table.
- Step 3.** Select  $\max \sum x_{ij}$ ,  $x_{ij} \geq 0$ , for entering vector.
- Step 4.** Choose greatest coefficient of decision variables. (i) If greatest coefficient is unique, then element corresponding to this row and column becomes pivotal (leading) element. (ii) If greatest coefficient is not unique, then use tie breaking technique.
- Step 5.** Use usual simplex method for this table and go to next step.
- Step 6.** Ignore corresponding row and column. Proceed to step 5 for remaining elements and repeat the same procedure until an optimal solution is obtained or there is an indication for unbounded solution.
- Step 7.** If all rows and columns are ignored, then current solution is an optimal solution.

## III. SOLVED PROBLEMS

### Problem- 1

$$\text{Min. } z = d_1^- + d_1^+ + d_2^- + d_3^-$$

$$\text{Sub to : } 80x_1 + 40x_2 + d_1^- - d_1^+ = 900$$

$$x_1 + d_2^- = 17 \quad x_2 + d_3^- = 15$$

1	$d_3^-$	15	0	1	0	0	0	1
Second Iteration								
0	$x_1$	15/4	1	0	1/80	-1/80	0	-1/2
1	$d_2^-$	53/4	0	0	-1/80	1/80	1	1/2
0	$x_2$	15	0	1	0	0	0	1

Optimum solution is

$$x_1 = 15/4, x_2 = 15 \quad d_2^- = \frac{53}{4}, d_1^- = 0, d_2^+ = 0$$

**Problem- 2**

$$\text{Min. } z = d_1^- + d_2^- + 0 S_1 + 0 S_2 + 0 S_3 + 0 d_1^+ + 0 d_2^+$$

$$\text{Sub to : } 2x_1 + 4x_2 + S_1 = 600$$

$$4x_1 + 5x_2 + S_2 = 1000, 5x_1 + 4x_2 + S_3 = 1200, 20x_1 + 32x_2 + d_1^- - d_1^+ = 5400, \quad 0.3x_1 + 0.75x_2 + d_2^- - d_2^+ = 108$$

**Solution**

$c_B$	$y_B$	$x_B$	$x_1$	$x_2$	$S_1$	$S_2$	$S_3$	$d_1^-$	$d_1^+$	$d_2^-$	$d_2^+$
0	$S_1$	600	2	4	1	0	0	0	0	0	0
0	$S_2$	1000	4	5	0	1	0	0	0	0	0
0	$S_3$	1200	5	4	0	0	1	0	0	0	0
1	$d_1^-$	5400	20	32	0	0	0	1	-1	0	0
1	$d_2^-$	108	0.3	0.75	0	0	0	0	0	1	-1
First Iteration											
0	$S_1$	-75	-1/2	0	1	0	0	-1/8	1/8	0	0
0	$S_2$	625/4	7/8	0	0	1	0	-5/32	5/32	0	0
0	$S_3$	525	5/2	0	0	0	1	-1/8	1/8	0	0
0	$x_2$	675/4	20/32	1	0	0	0	1/32	-1/32	0	0
1	$d_2^-$	$\frac{-297}{16}$	$\frac{-27}{160}$	0	0	0	0	$\frac{-3}{128}$	$\frac{3}{128}$	1	-1
Second Iteration											
0	$S_1$	30	0	0	1	0	1/5	-3/20	3/20	0	0
0	$S_2$	-55/2	0	0	0	1	-7/20	-9/80	9/80	0	0
0	$x_1$	2/10	1	0	0	0	2/5	-1/20	1/20	0	0
0	$x_2$	75/2	0	1	0	0	-1/4	1/16	-1/16	0	0
1	$d_2^-$	$\frac{135}{8}$	0	0	0	0	27/400	$\frac{-51}{1600}$	$\frac{51}{1600}$	1	-1
Third Iteration											
0	$S_1$	100/1	0	0	1	-1/5	0	-3/14	3/14	0	0
0	$S_3$	550/7	0	0	0	1	1	9/28	-9/28	0	0
0	$x_1$	1250/7	1	0	0	-2/5	0	-5/28	5/28	0	0
0	$x_2$	400/7	0	1	0	1/4	0	1/7	-1/7	0	0
1	$d_2^-$	81/7	0	0	0	$\frac{-27}{400}$	0	$\frac{-3}{56}$	$\frac{3}{56}$	1	-1

Optimum Solution is

$$x_1 = \frac{1250}{7}, x_2 = \frac{400}{7}, d_2^- = \frac{81}{7}, S_2 = 0, S_1 = 100/7, S_3 = \frac{550}{7}$$

**Problem- 3**

$$\text{Min. } z = P_1 d_1^- + P_4 d_1^+ + 5 P_3 d_2^- + 3 P_3 d_3^- + P_2 d_4^+$$

$$\text{Sub to : } x_1 + x_2 + d_1^- - d_1^+ = 80 \quad x_1 + x_2 + d_4^- - d_4^+ = 90 \quad x_1 + d_2^- = 70 \quad x_2 + d_3^- = 45$$

$$x_1, x_2 + d_1^-, d_1^+, d_2^-, d_3^-, d_4^-, d_4^+ \geq 0$$

**Solution: -**

		0	0	$P_1$	$P_4$	$5P_3$	$3P_3$	0	$P_2$	
$c_B$	$y_B$	$x_B$	$x_1$	$x_2$	$d_1^-$	$d_1^+$	$d_2^-$	$d_3^-$	$d_4^-$	$d_4^+$
$P_1$	$d_1^-$	80	1	1	1	-1	0	0	0	0
0	$d_4^-$	90	1	1	1	0	0	0	1	-1
$5P_3$	$d_2^-$	70	1	0	0	0	1	0	0	0
$3P_3$	$d_3^-$	45	0	1	0	0	0	1	0	0
First Iteration										
$P_1$	$d_1^-$	10	0	1	1	-1	-1	0	0	0
0	$d_4^-$	20	0	1	0	0	-1	0	1	-1
0	$x_1$	70	1	0	0	0	1	0	0	0
$3P_3$	$d_3^-$	45	0	1	0	0	0	1	0	0
Second Iteration										
0	$x_2$	10	0	1	1	-1	-1	0	0	0
0	$d_4^-$	10	0	0	-1	1	0	0	1	-1
0	$x_1$	70	1	0	0	0	1	0	0	0
$3P_3$	$d_3^-$	35	0	0	-1	1	1	1	0	0
Third Iteration										
0	$x_2$	20	0	1	0	0	-1	0	1	-1
$P_4$	$d_4^+$	10	0	0	-1	1	0	0	1	-1
0	$x_1$	70	1	0	0	0	1	0	0	0
$3P_3$	$d_3^-$	25	0	0	0	0	1	1	-1	1

∴ The optimum solution is,  $x_1 = 70, x_2 = 20, d_1^+ = 10, d_3^- = 25, d_1^- = d_2^- = d_4^- = d_4^+ = 0$

**Problem- 4**

$$\text{Min. } z = P_1 d_1^- + P_2 d_2^- + 2 P_2 d_3^- + P_3 d_1^+$$

$$\text{Sub to : } 10x_1 + 10x_2 + d_1^- - d_1^+ = 400$$

$$x_1 + d_2^- = 40 \quad x_2 + d_3^- = 30$$

$$x_1, x_2, d_1^+, d_1^-, d_2^-, d_3^- \geq 0$$

**Solution:**

		0	0	$P_1$	$P_3$	$P_2$	$2P_2$	
$c_B$	$y_B$	$x_B$	$x_1$	$x_2$	$d_1^-$	$d_1^+$	$d_2^-$	$d_3^-$
$P_1$	$d_1^-$	400	<b>10</b>	10	1	-1	0	0

$P_2$	$d_2^-$	40	1	0	0	0	1	0
$2P_2$	$d_3^-$	30	0	1	0	0	0	1
First Iteration								
$P_1$	$x_1$	40	1	1	1/10	-1/10	0	0
$P_2$	$d_2^-$	0	0	-1	-1/10	1/10	1	0
$2P_2$	$d_3^-$	30	0	1	0	0	0	1
Second Iteration								
$P_1$	$x_1$	10	1	0	1/10	-1/10	0	-1
$P_2$	$d_2^-$	30	0	0	<b>-1/10</b>	1/10	1	1
$2P_2$	$x_2$	30	0	1	0	0	0	1
Third Iteration								
$P_1$	$x_1$	40	1	0	0	0	1	0
$P_2$	$d_1^+$	300	0	0	-1	1	10	10
$2P_2$	$x_2$	30	0	1	0	0	0	1

Optimum Solution is

$$x_1 = 40, x_2 = 30, d_1^+ = 300, d_1^- = d_2^- = d_3^- = 0$$

**Problem- 5**

$$\text{Min. } z = P_1 d_1^- + 2P_2 d_2^- + P_2 d_3^- + P_3 d_1^+$$

$$\text{Sub to : } x_1 + x_2 + d_1^- - d_1^+ = 400$$

$$x_1 + d_2^- = 240$$

$$x_2 + d_3^- = 300$$

**Solution:**

		0	0	$P_1$	$P_3$	$2P_2$	$P_2$	
$c_B$	$y_B$	$x_B$	$x_1$	$x_2$	$d_1^-$	$d_1^+$	$d_2^-$	$d_3^-$
$P_1$	$d_1^-$	400	1	1	1	-1	0	0
$2P_2$	$d_2^-$	240	1	0	0	0	1	0
$P_3$	$d_3^-$	300	0	1	0	0	0	1
First Iteration								
$P_1$	$d_1^-$	160	0	1	1	-1	-1	0
0	$x_1$	240	1	0	0	0	1	0
$P_2$	$d_3^-$	300	0	1	0	0	0	1
Second Iteration								
0	$x_2$	160	0	1	1	-1	-1	0
0	$x_1$	240	1	0	0	0	1	1
$P_2$	$d_3^-$	140	0	0	-1	1	1	1
Third Iteration								
0	$x_2$	300	0	1	0	0	0	1
0	$x_1$	240	1	0	0	0	1	0
$P_3$	$d_1^+$	140	0	0	-1	1	1	1

Optimum Solution is

$$x_1 = 240, x_2 = 300, d_1^+ = 140, d_2^- = d_3^- = d_4^- = 0$$

#### IV. CONCLUSION

An alternative simplex method have been derived to obtain the solution of Goal programming problem. The proposed algorithm has simplicity and ease of understanding. This reduces number of iterations and improves the optimum solutions in most of the cases. This method saves valuable time as there is no need to calculate the net evaluation  $Z_j - C_j$ .

#### REFERENCES

- [1] Mrs Lokhande K. G., Khobragade N. W., Khot P. G.: Simplex Method: An Alternative Approach, International Journal Of Engineering And Innovative Technology, Volume 3, Issue 1, P: 426-428 (2013).
- [2] Khobragade N. W. and Khot P. G.: Alternative Approach to the Simplex Method-I, Bulletin of Pure and applied Sciences, Vol. 23(E) (No.1); P. 35-40 (2004).
- [3] Khobragade N. W. and Khot P. G.: Alternative Approach to the Simplex Method-II, Acta Ciencia Indica, Vol.xxx IM, No.3, 651, India (2005).
- [4] Sharma S. D.: Operation Research, Kedar Nath Ram Nath, 132, R. G. Road, Meerut-250001 (U.P.), India.
- [5] Gass S. I.: Linear Programming, 3/e, McGraw-Hill Kogakusha, Tokyo (1969).
- [6] Ghadle, K.P; Pawar, T.S and Khobragade, N.W (2013): Solution of Linear Programming Problem by New Approach, Int. J. of Engg. And Information Technology, vol. 3, Issue 6, pp.301-307
- [7] Khobragade, N.W, Lamba, N.K and Khot, P. G (2009): "Alternative Approach to Revised Simplex Method", Int. J. of Pure and Appl. Maths. vol. 52, No.5, 693-699.
- [8] Khobragade, N.W, Lamba, N.K and Khot, P. G (2012): "Alternative Approach to Wolfe's Modified Simplex Method for Quadratic Programming Problems", Int. J. Latest Trends in Maths. vol. 2, No. 1, pp. 19-24.
- [9] Mrs. Vaidya N.V and Khobragade, N.W (2012): "Optimum solution to the simplex method, An alternative approach", Int. Journal of Latest Trends in Maths, (accepted), UK.
- [10] Mrs. Vaidya, N.V and Khobragade, N.W (2013): Solution of Game problems using New Approach, Int. J. of Engg. And Information Technology, vol. 3, Issue 5, pp.181-186.
- [11] Mrs. Lokhande, K.G; Khobragade, N.W, and Khot, P. G (2013): "Alternative Approach to Linear Fractional Programming", Int. J. of Engg. And Information Technology, vol. 3, Issue 4, pp.369-372.
- [12] Khobragade, N.W, Lamba, N.K and Khot, P. G (2013): "Solution of LPP by KKL Method", Int. J. of Engg. And Information Technology, vol. 3, Issue 4, pp.334-340.
- [13] Khobragade, N.W, Lamba, N.K and Khot, P. G (2013): "Solution of Game Theory Problems by KKL Method", Int. J. of Engg. And Information Technology, vol. 3, Issue 4, pp.350-355.

- [14] Mrs. N.V Vaidya and Khobragade, N.W (2014): "Approximation algorithm for optimal solution to the linear programming problem", Int. Journal of Maths in Operational Research, Vol.6, No.2, pp 139-154.

#### AUTHOR BIOGRAPHY



**Dr. N.W. Khobragade** for being M.Sc in statistics and Maths, he attained Ph.D in both subjects. He has been teaching since 1986 for 28 years at PGTD of Maths, RTM Nagpur University, Nagpur and successfully handled different capacities.

At present he is working as Professor. Achieved excellent experiences in Research for 15 years in the area of Boundary value problems (Thermoelasticity in particular) and Operations Research. Published more than 180 research papers in reputed journals. Fourteen students awarded Ph.D Degree and six students submitted their thesis in University for award of Ph.D Degree under their guidance.



**Mrs Kalpana Lokhande** for being M.Sc, M.Phil, in statistics, she has been teaching since 1999, for 17 years at PCE, Nagpur



Mr Putta Baburao for being M.Sc in Mathematics, he has been teaching since 2001, for 15 years at P.B.S C, Vijaywada.

#### APPENDIX: AN ALTERNATIVE ALGORITHM FOR SIMPLEX METHOD:

To find optimal solution of any LPP by an alternative method for simplex method, algorithm is given as follows:

Step 1. Check objective function of LPP is of maximization or minimization type. If it is to be minimization type then convert it into a maximization type by using the result:

$$\text{Min. } Z = - \text{Max. } (-Z).$$

Step 2. Check whether all  $b_i$  (RHS) are non-negative. If any  $b_i$  is negative then multiply the corresponding equation of the constraints by(-1).

Step 3. Express the given LPP in standard form then obtain initial basic feasible solution.

Step 4. Select  $\max \sum x_{ij}$ ,  $x_{ij} \geq 0$ , for entering vector.

Step 5. Choose greatest coefficient of decision variables.

(i) If greatest coefficient is unique, then element corresponding to this row and column becomes pivotal (leading) element.

(ii) If greatest coefficient is not unique, then use tie breaking technique.

Step 6. Use usual simplex method for this table and go to next step.

Step 7. Ignore corresponding row and column. Proceed to step 5 for remaining elements and repeat the same procedure until an optimal solution is obtained or there is an indication for unbounded solution.

Step 8. If all rows and columns are ignored, then current solution is an optimal solution.