

Steady- State Thermoelastic Problem of a Thin Rectangular Plate due to Heat Generation

Ashwini Mahakalkar; Pravin N. Khobragade and N. W. Khobragade

Department of Mathematics, RTM Nagpur University, Nagpur -440033.

Abstract-This paper is concerned with steady state thermoelastic problem of a thin clamped rectangular plate in which we need to determine the temperature distribution, displacement and thermal stresses when the boundary conditions are known. Integral transform techniques are used to obtain the solution of the problem.

Key Words: Thin rectangular plate, steady state problem, direct thermo elastic problem.

I. INTRODUCTION

Khobragade et al. [1, 2] have derived thermal deflection of a thick clamped rectangular plate, Khobragade et al. [5, 6, 8-10] have investigated displacement function, temperature distribution and stresses of a thin rectangular plate and Khobragade et al. [11] have established displacement function, temperature distribution and stresses of a thick rectangular plate.

In this paper, an attempt is made to determine the temperature distribution, displacement function and thermal stresses at any point of the plate occupying the space D: $\{-a \leq x \leq a, -b \leq y \leq b, -h \leq z \leq h\}$ with the known boundary conditions. Finite Marchi-Fasulo transform technique is used to find the solution of the problem.

II. STATEMENT OF THE PROBLEM

Consider a thin rectangular plate occupying the space D: $-a \leq x \leq a, -b \leq y \leq b, -h \leq z \leq h$. The displacement components u_x and u_y u_z in the x and y and z directions respectively as Tanigawa et al. [1] are

$$u_x = \int_{-a}^a \left[\frac{1}{E} \left(\frac{\partial^2 U}{\partial y^2} + \frac{\partial^2 U}{\partial z^2} - \nu \frac{\partial^2 U}{\partial x^2} \right) + \lambda T \right] dx \quad (1)$$

$$u_y = \int_{-b}^b \left[\frac{1}{E} \left(\frac{\partial^2 U}{\partial z^2} + \frac{\partial^2 U}{\partial x^2} - \nu \frac{\partial^2 U}{\partial y^2} \right) + \lambda T \right] dy \quad (2)$$

$$u_z = \int_{-h}^h \left[\frac{1}{E} \left(\frac{\partial^2 U}{\partial x^2} + \frac{\partial^2 U}{\partial y^2} - \nu \frac{\partial^2 U}{\partial z^2} \right) + \lambda T \right] dz \quad (3)$$

where E, ν , and λ are the young's modulus, Poisson's ratio and the linear coefficient of the thermal expansion of the material of the beam respectively and U (x,y,z) is the Airy's stress functions which satisfy the differential equation as Tanigawa et al. [1] is

$$\left(\frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} + \frac{\partial^2}{\partial z^2} \right)^2 U(x, y, z) = -\lambda E \left(\frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} + \frac{\partial^2}{\partial z^2} \right) \times T(x, y, z) \quad (4)$$

where T(x,y,z) denotes the temperature of a rectangular plate satisfy the following differential equation as

Tanigawa et al. [1] is

$$\frac{\partial^2 T}{\partial x^2} + \frac{\partial^2 T}{\partial y^2} + \frac{\partial^2 T}{\partial z^2} + \frac{g(x, y, z)}{k} = 0 \quad (5)$$

where k is the thermal conductivity and α is the thermal diffusivity of the material,

subject to the initial and boundary conditions:

$$T(x, y, z) + k_1 \left[\frac{\partial T(x, y, z)}{\partial x} \right]_{x=-a} = f_1(y, z) \quad (6)$$

$$T(x, y, z) + k_2 \left[\frac{\partial T(x, y, z)}{\partial x} \right]_{x=a} = f_2(y, z) \quad (7)$$

$$\left[T(x, y, z) + k_3 \frac{\partial T(x, y, z)}{\partial y} \right]_{y=-b} = f_3(x, z) \quad (8)$$

$$\left[T(x, y, z) + k_4 \frac{\partial T(x, y, z)}{\partial y} \right]_{y=b} = f_4(x, z) \quad (9)$$

$$\left[T(x, y, z) \right]_{z=-h} = f_5(x, y) \quad (10)$$

$$\left[T(x, y, z) \right]_{z=h} = f_6(x, y) \quad (11)$$

The stress components in terms of U(x, y, z) as Tanigawa et al. [1] are given by

$$\sigma_{xx} = \left[\frac{\partial^2 U}{\partial y^2} + \frac{\partial^2 U}{\partial z^2} \right] \quad (12)$$

$$\sigma_{yy} = \left[\frac{\partial^2 U}{\partial z^2} + \frac{\partial^2 U}{\partial x^2} \right] \quad (13)$$

$$\sigma_{zz} = \left[\frac{\partial^2 U}{\partial x^2} + \frac{\partial^2 U}{\partial y^2} \right] \quad (14)$$

Equations (1) to (14) constitute the mathematical formulation of the problem under consideration.

III. SOLUTION OF THE PROBLEM

By applying Marchi-Fasulo transform w.r.to x and y successively to the equation (5), we get

$$\left(\frac{\partial^2 \bar{T}}{\partial z^2} \right) - \mu_p \bar{T} = \bar{\psi} \quad (15)$$

Where,

$$\mu_p = (\lambda_n^2 + \mu_m^2)$$

$$\bar{\psi} = \frac{P_1(a)}{k_1} f_2 - \frac{P_1(-a)}{k_2} f_1 + \frac{Q_m(b)}{k_4} f_4 - \frac{Q_m(-b)}{k_3} f_3 + \frac{g}{k}$$

Equation (15) is a second order differential equation whose

solution is given by

$$\bar{T} = Ae^{\mu_p z} + Be^{-\mu_p z} + P.I$$

where, $P.I = \frac{1}{D^2 - \mu_p} \psi$

$$\bar{T} = Ae^{\mu_p z} + Be^{-\mu_p z} + \Phi \tag{16}$$

where, $\Phi = P.I$

Using equation (10) and (11) in equation(16) we get

$$\bar{T} = \frac{[f_5 + \Phi_{-h}]}{\sinh(2\mu_p h)} \sinh \mu_p(z-h) + \frac{[f_6 + \Phi_h]}{\sinh(2\mu_p h)} \sinh \mu_p(z+h) \tag{17}$$

Using the inverses of Marchi-Fasulo transform to equation (17), one obtains the expression for temperature distribution as

$$T(x, y, z) = \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \frac{P_n(x)}{\lambda_n} \frac{Q_m(y)}{\mu_m} \Omega \tag{18}$$

where m, n are the positive integers,

$$\Omega = \frac{[f_5 + \Phi_{-h}]}{\sinh(2\mu_p h)} \sinh \mu_p(z-h) + \frac{[f_6 + \Phi_h]}{\sinh(2\mu_p h)} \sinh \mu_p(z+h)$$

Substituting equation (18) in equation (4) we get

$$U = -\lambda E \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \frac{P_n(x)}{\lambda_n} \frac{Q_m(y)}{\mu_m} \Omega \tag{19}$$

Substituting equation (19) in equations (1)- (3), the displacement components are obtained as

$$u_x = \lambda \left\{ \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \left[\frac{Q_m(y)}{\mu_m} \Omega - \frac{Q_m''(y)}{\mu_m} \Omega - \frac{Q_m(y)}{\mu_m} \Omega'' \right] \frac{1}{\lambda_n} \times \int_{-a}^a P_n(x) dx + \mathcal{G} \frac{P_n'(x)}{\lambda_n} \frac{Q_m(y)}{\mu_m} \Lambda \right\} \tag{20}$$

$$u_y = \lambda \left\{ \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \left[\frac{P_n(x)}{\lambda_n} \Omega - \frac{P_n''(x)}{\lambda_n} \Omega - \frac{P_n(x)}{\lambda_n} \Omega'' \right] \frac{1}{\mu_m} \times \int_{-b}^b Q_m(y) dy + \mathcal{G} \frac{P_n'(x)}{\lambda_n} \frac{Q_m'(y)}{\mu_m} \Omega \right\} \tag{21}$$

$$u_z = \lambda \left\{ \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \left[\frac{P_n'(x)}{\lambda_n} \frac{Q_m(y)}{\mu_m} - \frac{P_n''(x)}{\lambda_n} \frac{Q_m(y)}{\mu_m} - \frac{P_n'(x)}{\lambda_n} \frac{Q_m''(y)}{\mu_m} \right] \times \int_{-h}^h \Omega dz + \mathcal{G} \frac{P_n'(x)}{\lambda_n} \frac{Q_m(y)}{\mu_m} \Omega \right\} \tag{22}$$

IV. DETERMINATION OF STRESS FUNCTION

Substituting the value of Airy's stress function U(x,y,z) from equation (19) in the equations (12) to (14) one obtain the expression for stress functions as,

$$\sigma_{xx} = -\lambda E \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \left[\frac{P_n(x)}{\lambda_n} \frac{Q_m''(y)}{\mu_m} \Omega + \frac{P_n(x)}{\lambda_n} \frac{Q_m(y)}{\mu_m} \Omega'' \right] \tag{23}$$

$$\sigma_{yy} = -\lambda E \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \left[\frac{P_n''(x)}{\lambda_n} \frac{Q_m(y)}{\mu_m} \Omega + \frac{P_n(x)}{\lambda_n} \frac{Q_m(y)}{\mu_m} \Omega'' \right] \tag{24}$$

$$\sigma_{zz} = -\lambda E \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \left[\frac{P_n''(x)}{\lambda_n} \frac{Q_m(y)}{\mu_m} \Omega + \frac{P_n(x)}{\lambda_n} \frac{Q_m''(y)}{\mu_m} \Omega \right] \tag{25}$$

V. SPECIAL CASE

Set $f_5(x, y) = (x^2 + ax)(y^2 + ay)(-h)$,

$f_6(x, y) = (x^2 + ax)(y^2 + ay)(h)$

$$f_5(x, y) = \left[\frac{a_n \cos^2(a_n a) - \cos(a_n a) \sin(a_n a)}{a_n^2} \right] \times \left[\frac{b_m \cos^2(b_m b) - \cos(b_m b) \sin(b_m b)}{b_m^2} \right] \times (-h) \tag{26}$$

$$f_6(x, y) = \left[\frac{a_n \cos^2(a_n a) - \cos(a_n a) \sin(a_n a)}{a_n^2} \right] \times \left[\frac{b_m \cos^2(b_m b) - \cos(b_m b) \sin(b_m b)}{b_m^2} \right] \times (h) \tag{27}$$

Substituting these values in equation (18) we get

$$T(x, y, z) = \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \frac{P_n(x)}{\lambda_n} \frac{Q_m(y)}{\mu_m} \Omega_1 \tag{28}$$

VI. NUMERICAL RESULTS

Set $a = 1m$, $b = 2m$, $h = 2m$, $t = 1sec$ and $k = 0.86$ in equation (28), we obtain

$$T(x, y, z) = \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \frac{P_n(x)}{\lambda_n} \frac{Q_m(y)}{\mu_m} \left[\frac{[a_n \cos^2(a_n) - \cos(a_n) \sin(a_n)]}{a_n^2} \times \frac{[b_m \cos^2(2b_m) - \cos(2b_m) \sin(2b_m)]}{b_m^2} \times (-2) + Z_{-2} \right] \frac{\sinh 4\mu_p}{\sinh \mu_p(z-2)} + \left[\frac{[a_n \cos^2(a_n) - \cos(a_n) \sin(a_n)]}{a_n^2} \times \frac{[b_m \cos^2(2b_m) - \cos(2b_m) \sin(2b_m)]}{b_m^2} \times (2) + Z_2 \right] \frac{\sinh 4\mu_p}{\sinh \mu_p(z+2)} \tag{29}$$

VII. CONCLUSION

The temperature distribution, displacement function and thermal stresses of a thin rectangular plate have been obtained, with the aid of finite Marchi-Fasulo transform technique when the stated boundary conditions are known. The results are obtained in the form of infinite series. The series solutions converge provided if we take sufficient number of terms in the series.

The results that are obtained can be applied to the design

of useful structures or machines in engineering applications.

REFERENCES

- [1] Khobragade N. W., Payal Hiranwar, H. S. Roy and Lalsingh Khalsa: Thermal Deflection of a Thick Clamped Rectangular Plate, Int. J. of Engg. and Information Technology, vol. 3, Issue 1, pp. 346-348, (2013).
- [2] Ghume Ranjana S and Khobragade, N. W: "Deflection Of a Thick Rectangular Plate", Canadian Journal on Science and Engg. Mathematics Research, Vol.3 No.2, pp. 61-64, (2012).
- [3] Hamna Parveen and Khobragade, N. W: "Thermal Stresses Of a Thick Circular Plate Due To Heat Generation", Canadian Journal on Science and Engg. Mathematics Research, Vol. 3 No. 2, pp. 65-69, (2012).
- [4] Hamna Parveen; Navneet Kumar and Khobragade, N. W: "Thermal deflection of a thin circular plate with radiation", African journal of mathematics and computer science research, vol.5 (4), 66-70, (2012).
- [5] Roy, Himanshu and Khobragade, N.W: "Transient Thermoelastic Problem Of an Infinite Rectangular Slab", Int. Journal of Latest Trends in Maths, Vol. 2, No. 1, pp. 37-43, (2012)
- [6] Lamba, N.K; and Khobragade, N.W: "Thermoelastic Problem of a Thin Rectangular Plate Due To Partially Distributed Heat Supply", IJAMM, Vol. 8, No. 5, pp.1-11, (2012).
- [7] Gahane, T. T, Khalsa, L H and Khobragade, N.W: "Thermal Stresses in a Thick Circular Plate With Internal Heat Sources", Journal of Statistics and Mathematics, Vol. 3, Issue 2, pp. 94-98, (2012).
- [8] Patil V.B. and Khobragade, N.W: "Direct thermoelastic problem of heat conduction with internal heat generation and partially distributed heat supply in rectangular plate", Canadian Journal of Science & Engineering Mathematics, Vol. 3, No.5, pp. 193-197, (2012).
- [9] Sutar C. S. and Khobragade, N.W: "An inverse thermoelastic problem of heat conduction with internal heat generation for the rectangular plate", Canadian Journal of Science & Engineering Mathematics, Vol. 3, No.5, pp. 198-201, (2012).
- [10] Roy H. S, Bagade S. H. and N.W. Khobragade: Thermal Stresses of a Semi infinite Rectangular Beam, Int. J. of Engg. and Information Technology, vol. 3, Issue 1, pp. 442-445, (2013)
- [11] Jadhav, C.M; and Khobragade, N.W: "An Inverse Thermoelastic Problem of a thin finite Rectangular Plate due to Internal Heat Source", Int. J. of Engg. Research and Technology, vol.2, Issue 6, pp. 1009-1019, (2013).
- [12] Sneddon, I. N: The use of integral transform, Mc Graw Hill book co. (1974), chap.3.
- [13] Khobragade, N.W: Thermoelastic analysis of a thick circular plate, Int. J. of Engg. and Information Technology, vol. 3, Issue 5, pp.94-100, (2013).
- [14] Khobragade, N. W and Wankhede, P. C: An inverse unsteady-state thermoelastic problem of a thin rectangular plate, The Journal of Indian Academy of Mathematics, vol. 25, No. 2, (2003).
- [15] Nowacki, W. Thermoelasticity, Addition- Wisely Publishing Comp. Inc. London, 1962.
- [16] Noda, N; Hetnarski, R.B; Tanigawa, Y: Thermal Stresses, second edition Taylor & Francis, New York (2003).
- [17] Khobragade, N. W: Some Aspects of Inverse Thermoelastic Problems, LAP LAMBERT Publishing Germany (2010)
- [18] Khobragade, N. W: Selected Papers on Thermoelasticity Vol. I, LAP LAMBERT Publishing Germany (2013)
- [19] Khobragade, N. W: Selected Papers on Thermoelasticity Vol. II, LAP LAMBERT Publishing Germany (2014)
- [20] Khobragade, N. W: Selected Papers on Thermoelasticity Vol. III, LAP LAMBERT Publishing Germany (2015)

AUTHOR BIOGRAPHY



Dr. N.W. Khobragade for being M.Sc in statistics and Maths, he attained Ph.D in both subjects. He has been teaching since 1986 for 29 years at PGTD of Maths, RTM Nagpur University, Nagpur and successfully handled different capacities.

At present he is working as Professor. Achieved excellent experiences in Research for 15 years in the area of Boundary value problems (Thermoelasticity in particular) and Operations Research. Published more than 200 research papers in reputed journals. Sixteen students awarded Ph.D Degree and six students submitted their thesis in University for award of Ph.D Degree under their guidance.



Pravin Khobragade student of M.E IInd year in Computer Engineering, R.A.I.T College of Engg. Nerul, Navi Mumbai.



Ashwini Mahakalkar M.Sc. in Maths, she is a research scholar of Gondwana University Gadchiroli.